



FT SYNTHETICS

Gatorshield is a non-breathable vapor Barrier



GRIPSPOT®
Slip resistant
walking surface



- ✓ **Easy To Use**
- ✓ **No Stains**
- ✓ **Slip Resistant**
- ✓ **Durable**
- ✓ **Re-Useable**
- ✓ **100% Recyclable**

Gatorshield is a high strength synthetic floor protection product designed for use in new construction, renovations and for moving projects. Keeps floors clean and protected.

FEATURES AND BENEFITS:



Absorbent

Absorbs spills without leaking through and risking stained floors.

Safe

GRIPSPOT slip resistant walking surface.

Durable

Industry leading tear and tensile strength to withstand the high traffic demands for use on commercial, industrial and residential projects.

Easy to Use

Cold weather flexible to -40°F, high temperature stable to 240°F.

Multi-Surface

Specifically designed to protect wood, tile, vinyl, laminate, hardwood, and **CURED** concrete flooring.

Cost Effective

Unlike paper products Gatorshield is designed for multiple time use. Simply wipe or vacuum surface and roll up for easy removal and relocation.

Shock Absorbent

Protects floors from construction damage caused by; tools, foot traffic, dolly's, wheelbarrows, ladders, etc...

***Custom logo printing available**



Description	Specification
Roll Weight (lbs)	14.25 lbs
# of Rolls Per Pallet	49
Roll Dimensions - W x L	38 in x 100 ft
Roll Coverage (sq ft)	317 sq ft
Thickness (mils) ASTM D1970	30 mils (3 times more than Rosin Paper)
Tensile Strength (lbs) ASTM D5034	Machine Direction: 160 lbs
	Cross Direction: 150 lbs
Elongation (%) ASTM D5034	Machine Direction: 25%
	Cross Direction: 25%
Tear Strength (lbs/in) ASTM D4533	Machine Direction: 35 lbs
	Cross Direction: 30 lbs
Cold weather flexibility	-40°F (-40°C)
High temperature stability	240°F (115°C)
Water Absorbency	0.3 oz / yd ² <1 min

Values are typical data and not limiting specifications. All values ± 10%.

FT Synthetics Inc.

26977 56 Ave, Langley BC V4W 3Y2, Canada

Ph: 604-594-3439 Toll Free: 844-353-9839

©2021 FT Synthetics Inc. All rights reserved.

Rev011821